



# Keladi Shivappa Nayaka University of Agricultural and Horticultural Sciences, Shivamogga, Karnataka

## Gramin Krishi Mausam Sewa Project

### Agromet Advisory Service Bulletin for Dakshina Kannada District

(Issued jointly by India Meteorological Department, Pune & MC, Bengaluru and GKMS, Zonal Agricultural and Horticultural Research Station, Brahmavar-576213 Udupi District, Karnataka)



### Weather Forecast from 04.07.2026 to 08.07.2026

No. GKMSB/50/2026

Date: 03.07.2026

### Past Week Weather Data Of Dakshina Kannada (Date: 29.07.2026 to 03.07.2026)

Sl. No.	Weather Parameters	Day-1 (29.06.2026)	Day-2 (30.06.2026)	Day-3 (01.07.2026)	Day-4 (02.07.2026)	Day-5 (03.07.2026)
01	Rainfall (mm)	46.7	57.3	130.7	57.2	16.8
02	Max Temp Trend (deg C)	28.8	28.4	29	26.6	28.4
03	Min Temp Trend (deg C)	23.4	23.1	22.8	24.4	24.4
04	Total cloud cover (octa)	7	8	8	8	8
05	Max. Relative Humidity (%)	93	98	95	96	86
06	Min. Relative Humidity (%)	87	96	90	87	81
07	Wind Speed (kmp)	6	6	6	0	250

### Weather Forecast Issued by the India Meteorological Department for Dakshina Kannada District for the coming five days – until 0830 hrs of 04.07.2026 to 08.07.2026

Sl. No	Weather Parameters	Day-1 (04.07.2026)	Day-2 (05.07.2026)	Day-3 (03.07.2026)	Day-4 (04.07.2026)	Day-5 (05.07.2026)
1	Rainfall (mm)	65	24	45	60	62
2	Max Temp (°C)	28	27	28	27	28
3	Min Temp (°C)	24	23	24	24	24
4	Cloud cover (Okta)	8	8	8	8	8
5	Max. Relative Humidity (%)	92	91	90	92	91
6	Min. Relative Humidity (%)	82	80	78	84	85
7	Wind Speed (Kmph)	4	2	4	4	4
8	Wind Direction (°)	250	243	229	234	240
9	Forecast Warning	GW/R++	GW/R++	GW/R++	GW/R++	GW/R++
10	Chance of Occurrence (%)	75-100%	75-100%	75-100%	75-100%	75-100%

As per the extended range rainfall forecast given by IMD, New Delhi and MC, Bangalore for coastal region of Karnataka including Dakshina Kannada district the rainfall will be Above Normal from 08.07.2026 to 14.07.2026

### Summary of Weather Forecast for next Five days

As per the Weather forecast issued by the India Meteorological Department, Pune and Bengaluru for Dakshina Kannada district, **chance of RATHER HEAVY TO HEAVY RAINFALL is very likely to be expected for next five days.** The maximum temperature would be around **27.0°C -28.0°C** and minimum temperature would be around **23.0°C – 24.0°C** to during next five days. The Morning Relative humidity (RH) would vary from **90-92 per cent**, Evening Relative humidity (RH) would vary from **78-85per cent** and wind speed will be in the range of **02-04**km/hr.


### Mobile Applications developed by India Meteorological Department for the benefit of Farming Community

#### Farmers are suggested to download the app using below links

	<b>Mausam:</b>	<b>Meghdoot:</b>	<b>Damini:</b>
Andriod:	<a href="https://play.google.com/store/app/s/details?id=com.imd.masuam">https://play.google.com/store/app/s/details?id=com.imd.masuam</a>	<a href="https://play.google.com/store/apps/detail?s?id=com.aas.meghdoot">https://play.google.com/store/apps/detail?s?id=com.aas.meghdoot</a>	<a href="https://play.google.com/store/apps/details?id=com.lightening.live.damini">https://play.google.com/store/apps/details?id=com.lightening.live.damini</a>
Apple OS:	<a href="https://apps.apple.com/us/app/id1522893967">https://apps.apple.com/us/app/id1522893967</a>	<a href="https://apps.apple.com/in/app/meghdoot/id1474048155">https://apps.apple.com/in/app/meghdoot/id1474048155</a>	<a href="https://apps.apple.com/app/id1502385645">https://apps.apple.com/app/id1502385645</a>

#### Decadal Rainfall (mm) Comparison:

Year	30 years Mean	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2025	2026
Rainfall	3710.5	3325.3	2816.3	2383.4	2827.1	3000	3381.2	4118.4	4110.8	4110.8	3879.9	3316.6	5425.0	20.3
Rainy days	105	127	112	107	119	121	112	123	126	152	125	105	142	2



### Warnings for Costal Karnataka

Date of Issue: July 3, 2026

Day 1: July 3, 2026	Very Heavy Rain Thunderstorm & Lightning, Squall etc Strong Surface Winds
Day 2: July 4, 2026	Very Heavy Rain Thunderstorm & Lightning, Squall etc Strong Surface Winds
Day 3: July 5, 2026	Very Heavy Rain Thunderstorm & Lightning, Squall etc Strong Surface Winds
Day 4: July 6, 2026	Very Heavy Rain Thunderstorm & Lightning, Squall etc Strong Surface Winds
Day 5: July 7, 2026	Very Heavy Rain Thunderstorm & Lightning, Squall etc Strong Surface Winds
Day 6: July 8, 2026	Heavy Rain Thunderstorm & Lightning, Squall etc Strong Surface Winds
Day 7: July 9, 2026	Heavy Rain Thunderstorm & Lightning, Squall etc Strong Surface Winds

### ***Weather based Agromet Advisories for DAKSHINA KANNADA District***

#### ***General Advisory:***

As there is a ORANGE alert for next 05 days farmers can postpone agricultural activities for next 05 days.

Farmers can make drainages in orchards and paddy fields to avoid water logging

Farmers can make transplantation of paddy in main fields

Farmers can postpone spraying of 1% Bordo mixture to arecanut

#### ***Horticultural Crops:***

Crop	Stage	Pest/Diseases/Advisory	Operations/ Agromet Advisories

<b>Arecanut</b>	<b>Nut formation</b>	<b>General advise</b>	As monsoon is progressing farmers can make proper drainage facilities to drain out excess rainwater from orchards to avoid infestation of Koleroga.
		<b>General advise</b>	If scorching symptoms are observed on the lower leaves, farmers are advised to spray 1% Bordeaux mixture.
<b>Coconut</b>	<b>Nut formation</b>	<b>General advise</b>	Farmers can make drainages in orchards to avoid water logging
		<b>General advise</b>	In coconut orchards, remove the crop residues covering the root zone of the palms. Otherwise, excess moisture accumulation may cause nut drop.
<b>Black Pepper</b>	<b>Grand Growth stage</b>	<b>General advise</b>	Farmers can make drainages in orchards to avoid water logging
		<b>Quick wilt</b>	As a precautionary measure go for pruning of severely affected leaves and destroy them followed by application of FYM enriched with neem cake or Soil drenching with 3gram Copper Oxychloride or 1% Bordeaux mixture.
<b>Jasmine</b>	<b>Flowering</b>	<b>General advise</b>	Farmers can make drainages in orchards to avoid water logging
		<b>General advise</b>	"Farmers are advised to remove the irrigation rings around jasmine plants during the monsoon season. Excess moisture accumulation in these rings may lead to water logging and adversely affect plant health."
		<b>Leaf spot</b>	In order to manage leaf spot farmers can spray with Hexaconazole @ of 1ml/ltr
<b>Cashew</b>	<b>Vegetative Growth</b>	<b>General advise</b>	Farmers can make drainages in orchards to avoid water logging
		<b>Pruning</b>	Pruning can be done in High density planting
		<b>Nutrient Management</b>	For bearing (mature) cashew trees (per tree per year): <ul style="list-style-type: none"> <li>• Urea: 1.1 kg</li> <li>• Rock Phosphate: 625 g (or an equivalent phosphorus source)</li> <li>• Muriate of Potash (MOP): 208 g</li> </ul> <p style="text-align: center;"><i><b>Fertilizer Schedule for Young Cashew Trees</b></i></p> <ul style="list-style-type: none"> <li>• 1st year: Apply one-third (1/3) of the recommended fertilizer dose.</li> <li>• 2nd year: Apply two-thirds (2/3) of the recommended fertilizer dose.</li> <li>• 3rd year onwards: Apply the full recommended dose, equivalent to 500 g Nitrogen (N), 125 g Phosphorus (P<sub>2</sub>O<sub>5</sub>), and 125 g Potassium (K<sub>2</sub>O) per tree per year.</li> </ul>

### **CEREAL CROP:**

<b>Paddy</b>	<b>Field preparation</b>	<b>Direct seed sowing</b>	<ul style="list-style-type: none"> <li>• Seeds should be treated with recommended fungicides or bio agents to prevent seed borne diseases</li> <li>• Sow pre-germinated seeds in puddles soil using drum seeder or manual broadcasting, after this maintain a thin film of water (1-2cm) during early crop establishment</li> <li>• Avoid continuous submergence immediately after sowing</li> <li>• Weed management in wet DSR: Apply pre-emergence herbicides 0-3 days after sowing (Broad spectrum herbicides) like Pendimethalin 38.7CS @3ml/ltr or Metasulfuron Methyl (10%) and Chlorimuron Ethyl (10%) WP @ 8gm/ac or Bensulfuron Methyl (0.6%) and Pertilachlor (6%) GR @ 4kg/ac</li> <li>• (Water volume 120lit/ac or 7 to 8 tank of Knapsack sprayer or if sand is used mix the whole solution/ac with 10 kg of Sand</li> <li>• Apply early post emergent herbicides within 12 to 18 days after sowing or weeds 2 to 4 leaf stage i.e., Bispyribac Sodium 10% SC@ 0.5ml/ltr or Metasulfuron Methyl (10%) and Chlorimuron Ethyl (10%) WP @ 8gm/ac or Fenoxoprop –ethyl 69+ Ethoxysulfuron 20 ODS @ 1ml/ltr</li> </ul>
		<b>Transplanting</b>	• Farmers can transplant 18-21 days seedlings manually or using paddy

		<p>transplanter at the time of planting farmers can apply 24:12:30 kg of NPK/Acre i.e., 50% @ the time of planting, 25% should be given 25-30 days after planting and 25% after 50-55 days after planting. Options are as follows</p> <ul style="list-style-type: none"> <li>• option 1) 40kg of Urea+26.10 kg of DAP+50kg of MOP</li> <li>• option 2) 52.5kg of Urea+75 kg of SSP+50kg of MOP</li> <li>• Option 3) 60kg of 20:20:0+26.10 kg of Urea+50kg of MOP</li> <li>• Option 4) 80kg of 15:15:15+26 kg of Urea+30kg of MOP</li> <li>• Weed management is as mentioned above in Direct seed Sowing</li> </ul>
	<b>Case Worm</b>	<ul style="list-style-type: none"> <li>• For effective management of case worm, spray <a href="#">Chlorantraniliprole @ 0.5ml/ltr</a> or Chlorpyrifos @ 2ml/ltr or Neem oil 3000ppm @ 3ml/ltrat the recommended dose</li> </ul>
	<b>Leaf Folder</b>	<ul style="list-style-type: none"> <li>• For effective management of Leaf folder, spray <a href="#">Chlorantraniliprole @ 0.5ml/ltr</a> or Chlorpyrifos @ 2ml/ltr or Neem oil 3000ppm @ 3ml/ltrat the recommended dose</li> </ul>

### Animal Husbandry :

<b>Cattle</b> (General advise)	<ul style="list-style-type: none"> <li>➤ The requirement of fodder can be met by growing Sorghum, Maize (African tall), Cowpea, Napier etc.,</li> <li>➤ Avoid tying animals under tree or in any exposed area during lightning and thunderstorm</li> <li>➤ Vaccinate the animals for Hemorrhagic septicemia (HS) and Black quarter during June months.</li> <li>➤ De worming should be done for all livestock's</li> </ul> <p>Balanced feed should be given for Milch animals to get high milk yield</p>
-----------------------------------	--

### General Advise :

<b>Rain water harvesting structures</b>	<ul style="list-style-type: none"> <li>➤ Make necessary arrangements for established rain water harvesting structures as Monsoon is progressing. Ex: Farm pond: By storing excess water during rainy season may help farmers to get rid of water scarcity in summer &amp; farmers can earn extra income by rearing fish.</li> </ul>
---	---

### FISHERIES:

<b>Fisherman</b> (General advise)	Fisherman's were advised to prepare their needy things which will be usefull for fishing in upcoming days.
--------------------------------------	--

**(This Agro Advisory Information is based on Weather forecast received from MC, Bengaluru & IMD,New Delhi)**

**Mr. Praveen K.M**  
Technical Officer, GKMS,  
ZAHRS, Brahmavar, Udupi.

**Dr. Naveen N E**  
Nodal Officer, GKMS,  
ZAHRS, Brahmavar, Udupi.

**Block wise weather forecast for Dakshina Kannada District issued by IMD,New Delhi valid from 04.07.2026 to 08.07.2026**

**Weather forecast issued by IMD, New Delhi for Bantwala Block of Dakshina Kannada district valid from 04.07.2026 to 08.07.2026**

Sl. No	Weather Parameters	Day-1 (04.07.2026)	Day-2 (05.07.2026)	Day-3 (06.07.2026)	Day-4 (07.07.2026)	Day-5 (08.07.2026)
1	Rainfall (mm)	50.5	46.4	45.8	55.6	54.7
2	Max Temp (°C)	27.7	28.1	28.5	28.2	28.7
3	Min Temp (°C)	24.4	25.1	25.4	25.4	25.7
4	Cloud cover (Okta)	8	8	7	7	7
5	Max. Relative Humidity (%)	92	89.9	90.5	91.3	89.9
6	Min. Relative Humidity (%)	85.2	79.8	78.9	81.9	79.7
7	Wind Speed (Kmph)	2.3	17.2	18.2	17.4	17.4
8	Wind Direction (°)	251.6	254.2	230.6	240.3	248.2
9	Forecast Warning	GW/R++	GW/R++	GW/R++	GW/R++	GW/R++
10	Chance of Occurrence (%)	75-100%	75-100%	75-100%	75-100%	75-100%

**Weather forecast issued by IMD, New Delhi for Belthangady Block of Dakshina Kannada district valid from 04.07.2026 to 08.07.2026**

Sl. No	Weather Parameters	Day-1 (04.07.2026)	Day-2 (05.07.2026)	Day-3 (06.07.2026)	Day-4 (07.07.2026)	Day-5 (08.07.2026)
1	Rainfall (mm)	43	35.8	34	39.4	36.6
2	Max Temp (°C)	28.2	28.2	28.2	28.4	28.7
3	Min Temp (°C)	27.2	27.6	27.8	27.8	27.9
4	Cloud cover (Okta)	8	7	7	6	5
5	Max. Relative Humidity (%)	86.4	83.8	83.8	84.9	84.3
6	Min. Relative Humidity (%)	83	82	82.2	82.3	81
7	Wind Speed (Kmph)	17.3	32.7	34.4	35.1	36.8
8	Wind Direction (°)	266.4	253.4	232.7	240.5	246.9
9	Forecast Warning	<b>GW/R++</b>	<b>GW/R++</b>	<b>GW/R++</b>	<b>GW/R++</b>	<b>GW/R++</b>
10	Chance of Occurrence (%)	<b>75-100%</b>	<b>75-100%</b>	<b>75-100%</b>	<b>75-100%</b>	<b>75-100%</b>

**Weather forecast issued by IMD, New Delhi for Mangalore Block of Dakshina Kannada district valid from 04.07.2026 to 08.07.2026**

Sl. No	Weather Parameters	Day-1 (04.07.2026)	Day-2 (05.07.2026)	Day-3 (06.07.2026)	Day-4 (07.07.2026)	Day-5 (08.07.2026)
1	Rainfall (mm)	31.6	16.8	21.1	30.5	25.2
2	Max Temp (°C)	28.9	29.2	29.2	29.2	29.5
3	Min Temp (°C)	26.4	27.7	27.8	27.8	28
4	Cloud cover (Okta)	8	7	6	4	4
5	Max. Relative Humidity (%)	90	83.9	85.2	88.8	86.6
6	Min. Relative Humidity (%)	83	77.2	77.5	81.4	79.1
7	Wind Speed (Kmph)	6.3	29.1	34.2	32.6	33.5
8	Wind Direction (°)	256.8	244.4	220.7	239.5	249.2
9	Forecast Warning	<b>GW/R++</b>	<b>GW/R++</b>	<b>GW/R++</b>	<b>GW/R++</b>	<b>GW/R++</b>
10	Chance of Occurrence (%)	<b>75-100%</b>	<b>75-100%</b>	<b>75-100%</b>	<b>75-100%</b>	<b>75-100%</b>

**weather forecast issued by IMD, New Delhi for Putturu Block of Dakshina Kannada district valid from 04.07.2026 to 08.07.2026**

Sl. No	Weather Parameters	Day-1 (04.07.2026)	Day-2 (05.07.2026)	Day-3 (06.07.2026)	Day-4 (07.07.2026)	Day-5 (08.07.2026)
1	Rainfall (mm)	46.9	44	44.4	52.8	54
2	Max Temp (°C)	27.4	27.6	27.8	27.9	28.2
3	Min Temp (°C)	23.9	24.4	24.6	24.6	24.9
4	Cloud cover (Okta)	8	8	7	7	7
5	Max. Relative Humidity (%)	93.4	91.5	92.7	92.5	91.5
6	Min. Relative Humidity (%)	86.2	80.6	80.8	82.7	81.8
7	Wind Speed (Kmph)	3.3	13.6	14.3	14.2	12.6
8	Wind Direction (°)	220.6	248.2	223	234.3	242.7
9	Forecast Warning	<b>GW/R++</b>	<b>GW/R++</b>	<b>GW/R++</b>	<b>GW/R++</b>	<b>GW/R++</b>
10	Chance of Occurrence (%)	<b>75-100%</b>	<b>75-100%</b>	<b>75-100%</b>	<b>75-100%</b>	<b>75-100%</b>

**Weather forecast issued by IMD, New Delhi for Sulya Block of Dakshina Kannada district valid from 04.07.2026 to 08.07.2026**

Sl. No	Weather Parameters	Day-1 (04.07.2026)	Day-2 (05.07.2026)	Day-3 (06.07.2026)	Day-4 (07.07.2026)	Day-5 (08.07.2026)
1	Rainfall (mm)	45.2	33.3	29.3	42.1	55.2
2	Max Temp (°C)	24.8	25.9	26.4	25.4	25.9
3	Min Temp (°C)	22.1	22.4	22.5	22.6	22.7
4	Cloud cover (Okta)	8	7	7	6	7
5	Max. Relative Humidity (%)	96.9	95.1	96.1	96.6	96.2
6	Min. Relative Humidity (%)	89.9	82.2	79.5	88.6	86.5
7	Wind Speed (Kmph)	4.2	9.8	11.3	10	8.7
8	Wind Direction (°)	211	234	210.7	220.6	228.4
9	Forecast Warning	<b>GW/R++</b>	<b>GW/R++</b>	<b>GW/R++</b>	<b>GW/R++</b>	<b>GW/R++</b>
10	Chance of Occurrence (%)	<b>75-100%</b>	<b>75-100%</b>	<b>75-100%</b>	<b>75-100%</b>	<b>75-100%</b>

